



HYIP Manager Pro Script Gold Coders

Documentation

Update Script: Jan 28 2020

Contents

1. [Introduction](#)
2. [How it works](#)
3. [Installation](#)



Introduction

Hello there! Thanks for purchasing in Template Rex!

We hope you enjoy your copy of HYIP Manager Pro Script, which has all its functions and can install it freely in the number of hostings / domains that you want to start a project., you can contact me at hey@templatere.com! I promise I don't bite. :)

Remember that on our website you will find templates ready to be used and personalized with your Script with attractive designs that will attract more clients to your project.

Please note that all the Script files are included in the purchase, all the code is in your hands so you can easily customize it.





How it works

HYIP Manager Pro supports Bitcoin, Litecoin, Dogecoin, Ethereum, Bitcoin Cash, Dash, Bitcoin Gold, Paypal, Perfect Money, Skrill, Payza, Webmoney, Alertpay, Paypal, E-bullion, Pecunix and any other processings.

HYIP Manager Pro is a package for investment sites. This software helps you to create and manage your own HYIP with ease. Automatic withdrawal, mass payment and instant payment included. The combination of price, features, performance and security are the best on the current market.



Installation

Installing the HYIP Manager Pro script will be a simple process check the following steps below.

1. Check that the script is in .ZIP before beginning the upload.



HYIP-Manager-P
RO-NOV19-UPD
ATE

2. Upload HYIP-Manager-PRO-NOV19-UPDATE the .ZIP using an FTP or file manager to the directory where the Gold Coders Manager Script is installed.

☐ Overwrite existing files

Drop files here to start uploading

or

Select File

HYIP-Manager-PRO-NOV19-UPDATE.zip


18%




1.38 MB / 7.55 MB (18%) complete



3. It will have been uploaded to the root directory of the website as shown below.

Home Up One Level Back Forward Reload Select All Unselect All View Trash Empty Trash				
Name	Size	Last Modified	Type	Permissions
 HYIP-Manager-PRO-NOV19-UPDATE.zip	7.55 MB	Today, 7:26 AM	package/x-generic	0644

4. Proceed to unzip your script in the root directory, this process will write some files to work the script correctly.

Home Up One Level Back Forward Reload Select All Unselect All View Trash Empty Trash				
Name	Size	Last Modified	Type	Permissions
 HYIP-Manager-PRO-NOV19-UPDATE.zip	7.55 MB	Today, 7:26 AM	package/x-generic	0644

- Download
- View
- Move
- Copy
- Rename
- Change Permissions
- Delete
- Extract
- Compress



5. To see the files of your script in the root of your domain in the following way.

Home

Up One Level

Back

Forward














Reload

Select All


Unselect All

View Trash


Empty Trash

Name	Size	Last Modified	Type	Permissions
 fonts	4 KB	May 31, 2019, 11:15 AM	httpd/unix-directory	0755
 images	4 KB	Nov 21, 2019, 9:07 AM	httpd/unix-directory	0755
 inc	4 KB	May 31, 2019, 11:15 AM	httpd/unix-directory	0755
 tmpl	4 KB	May 31, 2019, 11:15 AM	httpd/unix-directory	0755
 tmpl_c	4 KB	May 31, 2019, 11:15 AM	httpd/unix-directory	0755
 admin.php	3.8 MB	Yesterday, 1:56 PM	application/x-httpd-php	0644
 Documentation Script HYIP Manager Pro.pdf	969.56 KB	Aug 15, 2019, 12:32 AM	application/pdf	0644
 favicon.ico	1.12 KB	Aug 18, 2019, 4:34 AM	image/x-generic	0644
 HYIP-Manager-PRO-NOV19-UPDATE.zip	7.55 MB	Today, 7:26 AM	package/x-generic	0644
 index.php	3.85 MB	Yesterday, 2:49 PM	application/x-httpd-php	0644
 install.php	227.91 KB	Yesterday, 1:56 PM	application/x-httpd-php	0644
 settings.php	5.05 KB	May 31, 2019, 11:15 AM	application/x-httpd-php	0644
 style.css	2.35 KB	May 31, 2019, 3:58 AM	text/css	0644

6. Then go to the CPanel of your hosting and configure the PHP version of your domain in version 5.6



Check your version PHP and change:



7. Go to your domain and enter the address by adding /install.php to start the process of installing your script Example : your-domain.com/install.php

MySQL data	
Mysql host:	localhost
Mysql database name:	your-database-name
Mysql username:	your-database-user
Mysql password:	your-password

License data:	
Host:	your-domain.com
License Key:	your-domain.com

Admin account data:	
E-mail:	hey@templatere.com
Password:	*****

Install

All Rights Reserved. HYIP Manager

8. The script will request the information of your database (name of database, user database and password of your database) enter them, **you will be asked for YOUR LICENSE KEY which is the name of your domain** and finally your email of administrator and administrator password that will be linked to your script.

MySQL data	
Mysql host:	localhost
Mysql database name:	your-database-name
Mysql username:	your-database-user
Mysql password:	your-password

License data:	
Host:	your-domain.com
License Key:	your-domain.com


Admin account data:	
E-mail:	hey@templatere.com
Password:	*****

Install

All Rights Reserved. HYIP Manager



9. This completes the process of installing your script correctly, you can see a confirmation screen where you have finished installing the script, remember to save the access credentials of your administrator user.



10. If you try to enter your domain after finishing the installation you will see a message telling you to delete the file install.php



11. Go to your FTP directory of your domain and proceed to delete the file shown below.

[Home](#) [Up One Level](#) [Back](#) [Forward](#) [Reload](#) [Select All](#) [Unselect All](#) [View Trash](#) [Empty Trash](#)

Name	Size	Last Modified	Type	Permissions
fonts	4 KB	May 31, 2019, 11:15 AM	httpd/unix-directory	0755
images	4 KB	Nov 21, 2019, 9:07 AM	httpd/unix-directory	0755
inc	4 KB	May 31, 2019, 11:15 AM	httpd/unix-directory	0755
tmpl	4 KB	May 31, 2019, 11:15 AM	httpd/unix-directory	0755
tmpl_c	4 KB	May 31, 2019, 11:15 AM	httpd/unix-directory	0755
admin.php	3.8 MB	Yesterday, 1:56 PM	application/x-httpd-php	0644
Documentation Script HYIP Manager Pro.pdf		May 15, 2019, 12:32 AM	application/pdf	0644
favicon.ico		May 18, 2019, 4:34 AM	image/x-generic	0644
HYIP-Manager-PRO-NOV19-UPDATE.zip		May 15, 2019, 7:26 AM	package/x-generic	0644
index.php		Yesterday, 2:49 PM	application/x-httpd-php	0644
install.php		Yesterday, 1:56 PM	application/x-httpd-php	0644
settings.php		May 31, 2019, 11:15 AM	application/x-httpd-php	0644
style.css		May 31, 2019, 3:58 AM	text/css	0644

Download

View

Edit

Move

Copy

Rename

Change Permissions

Delete

Compress




Protect Your Installation For Security


12. **IMPORTANT!** You need configure after installation and customization of the script, configure your payment methods to place in folders: permission 555 (tmpl_c permission 755)

And 444 for the settings.php, admin.php and index.php files

To protect your installation and everything works properly.















Set the permissions in your files



It should look something like this when you finish changing the permissions:

[Home](#)
[↑ Up One Level](#)
[← Back](#)
[→ Forward](#)
[↻ Reload](#)
[☑ Select All](#)
[☐ Unselect All](#)


[🗑 View Trash](#)
[🗑 Empty Trash](#)

Name	Size	Last Modified	Type	Permissions
 fonts	4 KB	May 31, 2019, 11:15 AM	httpd/unix-directory	0555
 images	4 KB	Nov 21, 2019, 9:07 AM	httpd/unix-directory	0555
 inc	4 KB	May 31, 2019, 11:15 AM	httpd/unix-directory	0555
 tmpl	4 KB	May 31, 2019, 11:15 AM	httpd/unix-directory	0555
 tmpl_c	4 KB	May 31, 2019, 11:15 AM	httpd/unix-directory	0755
 admin.php	3.8 MB	Yesterday, 1:56 PM	application/x-httpd-php	0444
 Documentation Script HYIP Manager Pro.pdf	969.56 KB	Aug 15, 2019, 12:32 AM	application/pdf	0644
 favicon.ico	1.12 KB	Aug 18, 2019, 4:34 AM	image/x-generic	0644
 HYIP-Manager-PRO-NOV19-UPDATE.zip	7.55 MB	Today, 7:26 AM	package/x-generic	0644
 index.php	3.85 MB	Yesterday, 2:49 PM	application/x-httpd-php	0444
 settings.php	5.05 KB	May 31, 2019, 11:15 AM	application/x-httpd-php	0444
 style.css	2.35 KB	May 31, 2019, 3:58 AM	text/css	0644

NOTE: If you want to change any setting in your administrator you must change the settings.php permission to 644 so that the changes in your Script are applied.

13. When trying to see your script by entering the URL of your domain after deleting the file "install.php" you can see the homepage of this where you can enter with your administrator credentials.

14. Already within your script you can configure all the parameters according to your needs such as plans, payment methods among others.



The screenshot shows the 'admin.php?a=settings' page of the HYIP Manager Pro. The interface is divided into a left sidebar with navigation links and a main content area. The sidebar links include 'InfoBoxes Settings', 'News', 'User Notices', 'Custom Pages', 'Send a Newsletter', 'IPs Check', 'Email Templates', and 'Logout'. The main content area features a list of payment methods, each with an 'OPEN SETTINGS' button. These methods include Entromoney, Skrill, Nitronpay, SaliPay, eeeCurrency, epay.com, S-Pay, CoinsWallet, Bitcoin, Litecoin, Dogecoin, Ethereum, Bitcoin Cash, Dash, and Bitcoin Gold. A dropdown menu for the 'Processing' field is open, showing options: 'None', 'None', 'Bitcoin Electrum', 'Coinpayments.net', 'Paykassa.pro', and 'coinswallet.com'. Below this, there is a section for 'Administrator login settings' with fields for 'Login' (admin), 'Password', 'Retype password', and 'Administrator e-mail' (admin@gmail.com).

NOTE: If you want to change any setting in your administrator you must change the settings.php permission to 644 so that the changes in your Script are applied.



Do you have problems with the installation?

Do not worry if for some reason the script is not displaying it on your website, these are some steps that will help.

STEP 1. You verify that the content of the template has been unzipped at your root site and is not a folder:

[Home](#)

[Up One Level](#)

[Back](#)

[Forward](#)



[Reload](#)

☒ [Select All](#)














☐ [Unselect All](#)

[View Trash](#)


[Empty Trash](#)

Name	Size	Last Modified	Type	Permissions
 HYIP-Manager-PRO-NOV19-UPDATE	4 KB	Today, 7:54 AM	httpd/unix-directory	0755
 HYIP-Manager-PRO-NOV19-UPDATE.zip	7.55 MB	Today, 7:26 AM	package/x-generic	0644

You must move the contents of the folder to the root of your website:

Home		↑ Up One Level	← Back	→ Forward	↻ Reload	☑ Select All	☐ Unselect All	🗑 View Trash	🗑 Empty Trash
Name	Size	Last Modified	Type	Permissions					
 fonts	4 KB	May 31, 2019, 11:15 AM	httpd/unix-directory	0755					
 images		Nov 21, 2019, 9:07 AM	httpd/unix-directory	0755					
 inc		May 31, 2019, 11:15 AM	httpd/unix-directory	0755					
 tmpl	4 KB	May 31, 2019, 11:15 AM	httpd/unix-directory	0755					
 tmpl_c	4 KB	May 31, 2019, 11:15 AM	httpd/unix-directory	0755					
 admin.php	3.8 MB	Yesterday, 1:56 PM	application/x-httpd-php	0644					
 Documentation Script HYIP Manager Pro.pdf	969.56 KB	Aug 15, 2019, 12:32 AM	application/pdf	0644					
 favicon.ico	1.12 KB	Aug 18, 2019, 4:34 AM	image/x-generic	0644					
 HYIP-Manager-PRO-NOV19-UPDATE.zip	7.55 MB	Today, 7:26 AM	package/x-generic	0644					
 index.php	3.85 MB	Yesterday, 2:49 PM	application/x-httpd-php	0644					
 install.php	227.91 KB	Yesterday, 1:56 PM	application/x-httpd-php	0644					
 settings.php	5.05 KB	May 31, 2019, 11:15 AM	application/x-httpd-php	0644					
 style.css	2.35 KB	May 31, 2019, 3:58 AM	text/css	0644					

STEP 2. Review the connection data to your database which should have been previously created, if the data in your database is not correct, the script will not continue the installation process.

 **MySQL® Database Wizard**


MySQL Databases allow you to store lots of information in an easy to access manner. The databases themselves are not easily read by humans. MySQL databases are required by many web applications including some bulletin boards, content management systems, and others. To use a database, you'll need to create it. Only MySQL Users (different than mail or other users) that have privileges to access a database can read from or write to that database.


Step 1: Create A Database

New Database:

Note: 54 characters max.

[Next Step](#)

 **MySQL® Database Wizard**

 You have created a MariaDB/MySQL database named "rex_templetex".

Step 2: Create Database Users:

Username:

Note: 38 characters max.

Password:

Password (Again):


Strength ⓘ

Weak (34/100)

[Password Generator](#)

[Create User](#)

It is very important that you have granted all the privileges to your database.

 You have successfully created a MySQL user named "rex_templetex".

Step 3: Add user to the database.


User: **rex_templetex**
Database: **rex_templetex**

☒ ALL PRIVILEGES

<input checked="" type="checkbox"/> ALTER	<input checked="" type="checkbox"/> ALTER ROUTINE
<input checked="" type="checkbox"/> CREATE	<input checked="" type="checkbox"/> CREATE ROUTINE
<input checked="" type="checkbox"/> CREATE TEMPORARY TABLES	<input checked="" type="checkbox"/> CREATE VIEW
<input checked="" type="checkbox"/> DELETE	<input checked="" type="checkbox"/> DROP
<input checked="" type="checkbox"/> EVENT	<input checked="" type="checkbox"/> EXECUTE



STEP 3. Remember to verify that your PHP version is in 5.6 for your domain where the script is and it will be installed

 **PHP Selector | extensions**

Current PHP version: **5.6**

PHP Version 5.6 ▼ Set as current

[Switch To PHP Options](#)

STEP 4. Verify that the requirements that the script needs in the extensions of the PHP 5.6 version need to have activated the activated Ioncube.

A <input type="checkbox"/> apcu <input type="checkbox"/> apm <input type="checkbox"/> ares	I <input checked="" type="checkbox"/> intl <input checked="" type="checkbox"/> ioncube_loader <input type="checkbox"/> ioncube_loader_4	P <input type="checkbox"/> pdf <input checked="" type="checkbox"/> pdo <input checked="" type="checkbox"/> pdo_dblib <input type="checkbox"/> pdo_firebird <input checked="" type="checkbox"/> pdo_mysql <input type="checkbox"/> pdo_oci <input type="checkbox"/> pdo_odbc <input type="checkbox"/> pdo_pgsql <input checked="" type="checkbox"/> pdo_sqlite <input type="checkbox"/> pgsql <input type="checkbox"/> phalcon <input type="checkbox"/> phalcon3 <input checked="" type="checkbox"/> phar <input checked="" type="checkbox"/> posix <input type="checkbox"/> propro <input checked="" type="checkbox"/> pspell	S <input type="checkbox"/> stats <input type="checkbox"/> stem <input type="checkbox"/> stomp <input type="checkbox"/> suhosin <input type="checkbox"/> sybase_ct <input type="checkbox"/> sysvmsg <input type="checkbox"/> sysvsem <input type="checkbox"/> sysvshm
B <input checked="" type="checkbox"/> bcmath <input type="checkbox"/> big_int <input type="checkbox"/> bitset <input type="checkbox"/> brotli <input type="checkbox"/> bz2_filter	J <input type="checkbox"/> jsmin <input checked="" type="checkbox"/> json		T <input type="checkbox"/> tideways <input checked="" type="checkbox"/> tidy <input type="checkbox"/> timezonedb <input type="checkbox"/> trader <input type="checkbox"/> translit
D <input type="checkbox"/> dba <input type="checkbox"/> dbx <input checked="" type="checkbox"/> dom <input type="checkbox"/> doublemetaphone	L <input type="checkbox"/> ldap <input type="checkbox"/> libevent <input type="checkbox"/> libsodium <input type="checkbox"/> luasandbox <input type="checkbox"/> lzf	Q <input type="checkbox"/> quickhash	U <input type="checkbox"/> uploadprogress <input type="checkbox"/> uri_template <input type="checkbox"/> uuid
E <input type="checkbox"/> eio <input checked="" type="checkbox"/> enchant	M <input type="checkbox"/> mailparse <input checked="" type="checkbox"/> mbstring <input checked="" type="checkbox"/> mcrypt <input type="checkbox"/> memcache <input type="checkbox"/> memcached <input type="checkbox"/> mongo <input type="checkbox"/> mongodb <input type="checkbox"/> msgpack <input type="checkbox"/> mssql <input checked="" type="checkbox"/> mysql <input type="checkbox"/> mysqli <input checked="" type="checkbox"/> mysqlnd	R <input type="checkbox"/> radius <input type="checkbox"/> raphf <input type="checkbox"/> rar <input type="checkbox"/> recode <input type="checkbox"/> redis <input type="checkbox"/> rsync	W <input checked="" type="checkbox"/> wddx <input type="checkbox"/> weakref
F <input checked="" type="checkbox"/> fileinfo			X <input type="checkbox"/> xcache_3 <input type="checkbox"/> xdebug <input type="checkbox"/> xhprof <input checked="" type="checkbox"/> xmlreader <input checked="" type="checkbox"/> xmlrpc <input checked="" type="checkbox"/> xmlwriter <input type="checkbox"/> xrange <input checked="" type="checkbox"/> xsl
G <input checked="" type="checkbox"/> gd <input type="checkbox"/> gender <input type="checkbox"/> geoip <input type="checkbox"/> geos <input type="checkbox"/> gmagick <input type="checkbox"/> gnupg <input type="checkbox"/> grpc	N <input type="checkbox"/> ncurses <input type="checkbox"/> nd_mysql <input checked="" type="checkbox"/> nd_mysql_i <input type="checkbox"/> nd_pdo_mysql	S <input checked="" type="checkbox"/> snmp <input checked="" type="checkbox"/> soap <input checked="" type="checkbox"/> sockets <input type="checkbox"/> solr <input type="checkbox"/> sourceguardian <input type="checkbox"/> spl_types <input type="checkbox"/> ssh2	Y <input type="checkbox"/> yaml <input type="checkbox"/> yaz
H <input type="checkbox"/> haru <input type="checkbox"/> htscanner <input type="checkbox"/> http	O <input type="checkbox"/> oauth <input type="checkbox"/> oci8 <input type="checkbox"/> odbc <input checked="" type="checkbox"/> opcache		Z <input checked="" type="checkbox"/> zend_guard_loader <input checked="" type="checkbox"/> zip
I <input type="checkbox"/> igbinary <input checked="" type="checkbox"/> imagick <input checked="" type="checkbox"/> imap <input type="checkbox"/> inotify <input type="checkbox"/> interbase			

STEP 5. If you continue to have problems starting the installation by having a blank screen, a cache problem may have been generated, after performing the above steps, first try to purge your browser cache With CTRL + F5 this should purge the cache, as a second option delete all the files and reload the .zip script and unzip it again at the root of this file you should not have any more problems to continue its installation.


☐ Overwrite existing files

Drop files here to start uploading

or

Select File

HYIP-Manager-PRO-NOV19-UPDATE.zip

18% 

1.38 MB / 7.55 MB (18%) complete



It is recommended

1. Verify that your hosting has the requirements of the developer, if you do not have the requirements you request it may not work or have problems with some of its functions:

HYIP Manager Pro Script. Requirements.



HYIP Manager is a package for investment sites. This software helps you to create and manage your own HYIP with ease. **Automatic withdrawal, instant payment and mass payment included.** The combination of price, features, performance and security are the best on the current market.

Requirements:

- Any platform (Win/Linux/other)
- PHP 5.3(or more) + Ioncube Loader
- Curl extension
- GD extension (recommended)
- MySQL database
- [Security tips](#)

Common question:

- Does it work with php 5.3+ and mysql 5+?
- Script work with any php version from 5.3 to 5.5

2. Protect your installation with services such as SSL certificate, Firewall, DDOS, CDN to increase security in your project and avoid attackers.
3. Generate strong passwords for your project, keep them in a safe place you can use the following site to generate strong passwords or use your preferred service.

www.passwordsgenerator.net

4. **Remember that your purchase has 1 month of support, our support does not extend to customizations of our customers.**

Bonus Coupon

We want to support your next project! That's why we give you 10% discount on your next purchase in our store! Cheers!!!



You can find excellent quality templates in our store for your Gold Coders HYIP Manager Pro Script, make your business more visually and professionally attractive to investors, making your business grow and get better benefits.

www.templaterex.com/shop/

Enjoy Your Project, Template Rex
www.templaterex.com

